



Certificate of Analysis
Compliance Test

Batch # N02900
Batch Date: 2023-09-07
Extracted From: Hemp

Test Reg State: Florida

Order # OUT230907-020001
Order Date: 2023-09-07
Sample # AAEV458

Sampling Date: 2023-09-12
Lab Batch Date: 2023-09-12
Completion Date: 2023-09-17

Initial Gross Weight: 36.925 g

Number of Units: 1
Net Weight per Unit: 2.000 g
Sampling Method: MSP 7.3.1



Potency Tested	HHC Metals Passed	HHCP Tested	Pathogenic Passed	2-3-Butanedione Passed
Mycotoxins Passed	Pesticides Passed	Residual Solvents Passed	Microbiology (qPCR) Passed	Vitamin E Passed

Product Image

Potency 25 (LCUV)
Specimen Weight: 101.740 mg

Tested
SOP13.002 (LCUV)

Potency Summary

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	1000.000	2.60E-5	0.015	651.3000	65.1300
Delta-8-THCP *	100.000	3.75E-4	0.015	19.2300	1.9230
THCVA	10.000	4.70E-5	0.015	9.6040	0.9604
CBN	10.000	1.40E-5	0.015	7.2230	0.7223
CBG	10.000	2.48E-4	0.015	4.5470	0.4547
Delta-8-THCV	10.000	4.00E-5	0.015	2.0590	0.2059
CBT	10.000	2.00E-4	0.015	1.5950	0.1595
CBDA	10.000	1.00E-5	0.015	0.5850	0.0585
CBNA	10.000	9.50E-5	0.015	0.5570	0.0557
CBC	1000.000	1.80E-5	0.015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBD	10.000	5.40E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.015	<LOQ	<LOQ
Delta-8-THC-O-Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9-THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
Delta-9-THC-O-Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Delta-9-THCP *	10.000	1.17E-5	0.012	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	10.000			0.513	0.051
Total Active THC	10.000			<LOQ	<LOQ

Total HHC 28.117% 562.340mg	Total Active THC None Detected
Total Active CBD 0.051% 1.030mg	Total CBG 0.455% 9.100mg
Total CBN 0.771% 15.420mg	Other Cannabinoids 68.261%
Total Cannabinoids 97.655% 1,953.100mg	

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9-THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8-THC-O-Acetate + Delta 9-THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test

Batch # N02900
Batch Date: 2023-09-07
Extracted From: Hemp

Test Reg State: Florida

Order # OUT230907-020001
Order Date: 2023-09-07
Sample # AAEV458

Sampling Date: 2023-09-12
Lab Batch Date: 2023-09-12
Completion Date: 2023-09-17

Initial Gross Weight: 36.925 g

Number of Units: 1
Net Weight per Unit: 2.000 g
Sampling Method: MSP 7.3.1

2,3-butanedione(Diacetyl)
Specimen Weight: 12.700 mg

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ

Passed
SOP13.039 (GCMS)

Total Yeast and Mold
Specimen Weight: 501.400 mg

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Passed
SOP13.017 (qPCR)

Vitamin E (Tocopheryl Acetate)
Specimen Weight: 618.000 mg

Dilution Factor: 2.430

Analyte	LOD (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	.705	<LOQ

Passed
SOP13.007 (LC-MS)

Microbiology Pathogenic SAE Microarray

Specimen Weight: 1022.900 mg

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Escherichia coli specific gene	Passed	Salmonella	Passed
Aspergillus flavus	Passed		

Passed
SOP13.019 (Micro Array)

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Batch # N02900 Test Reg State: Florida
Batch Date: 2023-09-07
Extracted From: Hemp

Order # OUT230907-020001 Sampling Date: 2023-09-12 Initial Gross Weight: 36.925 g Number of Units: 1
Order Date: 2023-09-07 Lab Batch Date: 2023-09-12 Net Weight per Unit: 2.000 g
Sample # AAEV458 Completion Date: 2023-09-17 Sampling Method: MSP 7.3.1

Mycotoxins **Passed**
Specimen Weight: 618.000 mg SOP13.007 (LCMS)

Dilution Factor: 2.430

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

HHC Metals **Passed**
Specimen Weight: 248.900 mg SOP13.051 (ICP-MS)

Dilution Factor: 200.884

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	1.9E-2	100	200	<LOQ	Nickel (Ni)	1.5E-1	250	500	<LOQ
Cadmium (Cd)	4.0E-3	100	200	<LOQ	Palladium (Pd)	7.0E-3	50	100	<LOQ
Lead (Pb)	1.0E-2	100	500	<LOQ	Platinum (Pt)	1.3E-2	50	100	<LOQ
Mercury (Hg)	4.4E-2	100	200	<LOQ	Zinc (Zn)	4.1E-1	1000	na	<LOQ

HHCP **Tested**
Specimen Weight: 101.740 mg SOP13.050 (LCMS)

Dilution Factor: 5000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	1.5000E-3	6.22E-6	190.0000	19 9(R)-HHCP	1.5000E-3	6.18E-5	1.4900	0.149
(9S)-HHC	1.5000E-3	1.75E-5	88.1000	8.81 9(S)-HHCP	1.5000E-3	5.1E-5	0.8440	0.0844
(±)-9β-hydroxy-HHC	1.5000E-3	9.16E-6	0.7340	0.0734 Delta-9 THC	1.5000E-3	0.00056	<LOQ	<LOQ
1(R)-H4-CBD	3.000000E-3	1.47E-5	0.3400	0.034 H2-CBD	1.500000E-3	2.88E-6	<LOQ	<LOQ
1(S)-H4-CBD	3.000000E-3	1.33E-5	0.0699	0.00699 Total HHC			281.1680	28.1168

Residual Solvents - FL (CBD) **Passed**
Specimen Weight: 12.700 mg SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	34.999
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Axia Sun
Axia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Batch # N02900 Test Reg State: Florida
Batch Date: 2023-09-07
Extracted From: Hemp

Order # OUT230907-020001 Sampling Date: 2023-09-12 Initial Gross Weight: 36.925 g Number of Units: 1
Order Date: 2023-09-07 Lab Batch Date: 2023-09-12 Net Weight per Unit: 2.000 g
Sample # AAEV458 Completion Date: 2023-09-17 Sampling Method: MSP 7.3.1

Pesticides **Passed**
Specimen Weight: 618.000 mg SOP13.007 (LCMS/GCMS)
Dilution Factor: 2.490

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	100	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclbutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ					

Axia Sun
Axia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

